

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD62L, conjugated with PE, IgG2a, Clone: [1H3], RPE, Monoclonal NMB-0624

Artikelname	Mouse anti Human CD62L, conjugated with PE, IgG2a, Clone: [1H3], RPE, Monoclonal
Artikelnummer	NMB-0624
Hersteller Artikelnummer	0624
Alternativnummer	NMB-0624
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC
Spezies Reaktivität	Human
Immunogen	CD62L=Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with perherial blood T lymphocytes.
Konjugation	RPE
Produktbeschreibung	CD62L is the equivalent of the mouse MEL-14 with a molecular weight of 80 kDa. CD62L is on 60-75% of peripheral blood lymphocytes, Approximately 70-80% of T cells, 10% of thymocytes and most B cells. CD62L reacts with monocytes, granulocytes and a su...
Klonalität	Monoclonal

Konzentration	Titered for flow cytometry
Klon-Bezeichnung	[1H3]
Isotyp	IgG2a
UniProt	P14151
Puffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Reinheit	Protein A/G Chromatography
Formulierung	RPE
Formel	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Anwendungsbeschreibung	PBMC: Add 10 µl of MAB/10⁶ PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8 C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature (20C). Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.