

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti VCAM-1, IgG1, Clone: [4B9], Monoclonal NMB-MUB1905P

Artikelname	Mouse anti VCAM-1, IgG1, Clone: [4B9], Monoclonal
Artikelnummer	NMB-MUB1905P
Hersteller Artikelnummer	MUB1905P
Alternativnummer	NMB-MUB1905P
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC-Fr, IP
Spezies Reaktivität	Human
Produktbeschreibung	Vascular cell adhesion molecule-1 (VCAM-1) is induced on Human umbilical vein endothelium (HUVE) by recombinant Human tumor necrosis factor - alpha (rh TNF-alpha), rh interleukin-1 (IL-1) and lipopolysaccharide (LPS) and is involved in adherence of l...
Klonalität	Monoclonal
Klon-Bezeichnung	[4B9]
Isotyp	IgG1
UniProt	P08670
Puffer	Each vial contains 100 ul 1 mg/ml purified monoclonal antibody in PBS containing 0.09% sodium azide.

Quelle	4B9 is a Mouse IgG1 monoclonal antibody generated by immunization of Balb/c mice with Human umbilical vein endothelium (HUVE) that were non-enzymatically harvested after stimulation for 24h with recombinant Human (rh) TNF-alpha (10 ng/ml). Splenocytes were
Formel	Each vial contains 100 ul 1 mg/ml purified monoclonal antibody in PBS containing 0.09% sodium azide.
Anwendungsbeschreibung	4B9 is suitable for immunoblotting, immunoprecipitation, immunocytochemistry and immuno-histochemistry on frozen tissues and flow cytometry. Optimal antibody dilution should be determined by titration, recommended range is 1:25 - 1:200 for flow cytometry, and for immunohistochemistry with avidin-biotinylated Horseradish peroxidase complex (ABC) as detection reagent, and 1:100 - 1:1000 for immunoblotting applications.