

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Human Factor B, Clone: [Polyclonal], Monoclonal NMB-GAHU/PFB

Artikelname	Goat anti Human Factor B, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GAHU/PFB
Hersteller Artikelnummer	GAHu/PFB
Alternativnummer	NMB-GAHU/PFB
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Produktbeschreibung	In immunoelectrophoresis against human EDTA plasma a single precipitin line is obtained in the beta-2 region. The antiserum does not react with any other protein component of human serum or plasma. In precipitating techniques for the identification a...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]
UniProt	P00751
Puffer	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized antise
Quelle	Properdin factor B is a heat-labile serum protein active in the alternative complement activation pathway. It is binding to the C3b component of complement. The protein has a molecular weight of 92,000 and its mean concentration in human plasma is 200 µg/

Formel	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added.
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis use 2 μ l human serum against 120 μ l antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 μ l antiserum in a 3 mm diameter center well and 10 μ l of the antiserum in 3 mm diameter peripheral wells. In single radial immunodiffusion (Mancini) use 1% antiserum in the gel. Precipitin titre not less than 1:8 when tested against normal human serum in agar block immunodiffusion titration.