

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Goat anti Human IgM (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal NMB-SR/GAHU/IGM(FC)/BIO**

|                                  |   |
|----------------------------------|---|
| Artikelname                      | Goat anti Human IgM (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal  |
| Artikelnummer                    | NMB-SR/GAHU/IGM(FC)/BIO   |
| Hersteller Artikelnummer         | SR/GAHu/IgM(Fc)/Bio   |
| Alternativnummer                 | NMB-SR/GAHU/IGM(FC)/BIO   |
| Hersteller                       | NordicMubio   |
| Wirt                             | Goat  |
| Kategorie                        | Antikörper  |
| Spezies Reaktivität              | Human   |
| Konjugation                      | Biotin  |
| Format                           | IgG   |
| Spezifität                       | IgM ( $\mu$ )   |
| Minimale Kreuzreaktivität (MinX) | no cross-adsorbtion   |
| Produktbeschreibung              | The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. In immunoelectrophoresis and double radial immunodiffusion using various antiserum concentrations against normal hu... |
| Klonalität                       | Monoclonal  |
| Klon-Bezeichnung                 | [Polyclonal]  |

|                        |   |
|------------------------|---|
| Puffer                 | Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun do |
| Quelle                 | Purified normal IgM isolated from pooled human serum. Freund's complete adjuvant is used in the first step of the immunization procedure.   |
| Formulierung           | Biotin  |
| Formel                 | Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.   |
| Antibody Type          | Secondary Antibody  |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting.  |