

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat anti Human lactoferrin, Clone: [Polyclonal], Monoclonal NMB-GAHU/LFR

Artikelname	Goat anti Human lactoferrin, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GAHU/LFR
Hersteller Artikelnummer	GAHu/Lfr
Alternativnummer	NMB-GAHU/LFR
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Produktbeschreibung	In immunoelectrophoresis against human milk a single precipitin line is obtained. The antiserum does not react with any other protein component of human serum or plasma. In precipitating techniques as immunoelectrophoresis, single and double radial i...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]
UniProt	<a href="#">P02788</a>
Puffer	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized ant
Quelle	Exocrine organs produce various secretions, each with its characteristic function. Proteins found in secretions may be divided into two groups: those specific for the particular secretion, and plasma proteins independent of the type of exocrine cells. Lac

Formel	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added.
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis use 2 $\mu$ l human serum against 120 $\mu$ l antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 $\mu$ l antiserum in a 3 mm diameter center well and 10 $\mu$ l of the antiserum in 3 mm diameter peripheral wells. In single radial immunodiffusion use 1% antiserum in the gel.