

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Mouse IgG1 (subclass specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GAM/IGG1/FITC

| | |
|----------------------------------|---|
| Artikelname | Goat anti Mouse IgG1 (subclass specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-GAM/IGG1/FITC |
| Hersteller Artikelnummer | GAM/IgG1/FITC |
| Alternativnummer | NMB-GAM/IGG1/FITC |
| Hersteller | NordicMubio |
| Wirt | Goat |
| Kategorie | Antikörper |
| Spezies Reaktivität | Mouse |
| Konjugation | FITC |
| Format | IgG |
| Spezifität | IgG1 (Fc) |
| Minimale Kreuzreaktivität (MinX) | Human |
| Produktbeschreibung | The reactivity of the antiserum is directed to the subclass IgG1 as tested against mouse sera and a panel of purified homogenous immunoglobulins. It does not react with other subclasses of IgG, IgG/Fab fragments, IgM and IgA or any non-Ig protein in ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |

| | |
|------------------------|---|
| Puffer | Fluorochrome-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, s |
| Quelle | Pools of highly purified homogenous IgG1 isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formulierung | FITC |
| Formel | Fluorochrome-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Antibody Type | Secondary Antibody |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |