

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Rabbit IgG (heavy and light chains), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-GAR/IGG(H+L)/TRITC

Artikelname	Goat anti Rabbit IgG (heavy and light chains), conjugated with TRITC, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GAR/IGG(H+L)/TRITC
Hersteller Artikelnummer	GAR/IgG(H+L)/TRITC
Alternativnummer	NMB-GAR/IGG(H+L)/TRITC
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Spezies Reaktivität	Rabbit
Konjugation	TRITC
Format	IgG
Spezifität	IgG (H+L)
Minimale Kreuzreaktivität (MinX)	Bovine,Gallus,Goat,Rat,Sheep
Produktbeschreibung	The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in rabbit serum, a...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]

Puffer	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water.
Quelle	Purified IgG isolated from pooled rabbit serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formulierung	TRITC
Formel	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.