

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Rabbit anti Guinea Pig C3c, Clone: [Polyclonal], Monoclonal NMB-RAGP/C3C

Artikelname	Rabbit anti Guinea Pig C3c, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-RAGP/C3C
Hersteller Artikelnummer	RAGp/C3c
Alternativnummer	NMB-RAGP/C3C
Hersteller	NordicMubio
Wirt	Rabbit
Kategorie	Antikörper
Produktbeschreibung	In immunoelectrophoresis against fresh guinea pig serum, a single precipitin line is obtained in the beta-1 region representing native C3. Against serum containing partly activated C3, a precipitin line is obtained which extends from the beta-1 into ...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]
Puffer	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled rabbit serum. No foreign proteins added. Reconstitute the lyophilized ant
Quelle	C3 is the most abundant complement protein in guinea pig serum. Its biological function strongly resembles that of C3 in man and other laboratory animal species. It has a central role in the activation system being common in both pathways. Activation of C

Formel	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled rabbit serum. No foreign proteins added.
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis use 2 µl guinea pig plasma or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in 3 mm diameter center well and 2 µl plasma samples (neat and serially diluted) in 2 mm diameter peripheral wells. In single radial immunodiffusion use 1 percent antiserum in the gel.