

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Human Follistatin Antibody, Rabbit, Polyclonal ABT-ABG10119-U050

Artikelname	Anti-Human Follistatin Antibody, Rabbit, Polyclonal
Artikelnummer	ABT-ABG10119-U050
Hersteller Artikelnummer	ABG10119-U050
Alternativnummer	ABT-ABG10119-U050-50UG
Hersteller	Abcepta
Wirt	Rabbit
Kategorie	Antikörper
Applikation	ELISA, WB
Spezies Reaktivität	Human
Klonalität	Polyclonal
Reinheit	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hFollistatin. Anti-Human Follistatin specific antibody was purified by affinity chromatography employing immobilized hFollistatin matrix.
Formulierung	A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.
Antibody Type	Polyclonal Antibody

Anwendungsbeschreibung	WesternBlot: To detect Human Follistatin by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/ml. When used in conjunction with compatible secondary reagents the detection limit for recombinant Human Follistatin is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.. Sandwich: To detect Human Follistatin by sandwich ELISA (using 100µl/well antibody solution) a concentration of 0.5 - 2.0 µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with BioGems Biotinylated Anti-Human Follistatin (60-148BT) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant Human Follistatin.. Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of Human Follistatin (100.0 ng/ml), a concentration of 8.0 - 12.0 µg/ml of this antibody is required.. Reconstitution: Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 0.1-1.0 mg/ml.
------------------------	--