

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Biotinylated Anti-Human MEC Antibody, Rabbit, Polyclonal ABT-ABG10386-U025**

|                          |                                                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Biotinylated Anti-Human MEC Antibody, Rabbit, Polyclonal                                                                                                                        |
| Artikelnummer            | ABT-ABG10386-U025                                                                                                                                                               |
| Hersteller Artikelnummer | ABG10386-U025                                                                                                                                                                   |
| Alternativnummer         | ABT-ABG10386-U025-25UG                                                                                                                                                          |
| Hersteller               | Abcepta                                                                                                                                                                         |
| Wirt                     | Rabbit                                                                                                                                                                          |
| Kategorie                | Antikörper                                                                                                                                                                      |
| Applikation              | ELISA, WB                                                                                                                                                                       |
| Spezies Reaktivität      | Human                                                                                                                                                                           |
| Klonalität               | Polyclonal                                                                                                                                                                      |
| Reinheit                 | Produced from sera of rabbits immunized with highly pure recombinant Human MEC. Anti-Human MEC specific antibody was purified by affinity chromatography and then biotinylated. |
| Formulierung             | A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.                                                                                                          |
| Antibody Type            | Polyclonal Antibody                                                                                                                                                             |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Anwendungsbeschreibung | <p>WesternBlot: To detect hMEC by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant hMEC is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.. Sandwich: To detect hMEC by sandwich ELISA (using 100 µl/well antibody solution) a concentration of 0.25 - 1.0 µg/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with BioGems Polyclonal Anti-Human MEC (60-218P) as a capture antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hMEC.. Direct: To detect hMEC by direct ELISA (using 100 µl/well antibody solution) a concentration of 0.25 - 1.0 µg/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hMEC..</p> <p>Reconstitution: Centrifuge vial prior to opening. Reconstitute in sterile PBS containing 0.1% BSA to a concentration of 0.1-1.0 mg/ml.</p> |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|