

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Estrogen Receptor, alpha (Marker of Estrogen Dependence) Antibody, IgG2a, Clone: [ESR1/3373], Mouse, Monoclonal NBT-2099-MSM23-P1ABX

| | |
|--------------------------|---|
| Artikelname | Estrogen Receptor, alpha (Marker of Estrogen Dependence) Antibody, IgG2a, Clone: [ESR1/3373], Mouse, Monoclonal |
| Artikelnummer | NBT-2099-MSM23-P1ABX |
| Hersteller Artikelnummer | 2099-MSM23-P1ABX |
| Alternativnummer | NBT-2099-MSM23-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human Estrogen Receptor alpha protein |
| Produktbeschreibung | This monoclonal antibody is specific to estrogen receptor alpha (ER alpha) and shows minimal cross-reaction with other members of the family. ER is an important regulator of growth and differentiation in the mammary gland. Presence of ER in breast tu... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [ESR1/3373] |
| Molekulargewicht | ~67kDa |
| Isotyp | IgG2a |

| | |
|------------------------|--|
| NCBI | 2099 |
| UniProt | P03372 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution |