

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **SERBP1 / PAI-RBP1 Antibody, IgG1, Clone: [SERBP1/3498], Mouse, Monoclonal NBT-26135-MSM8-P1ABX**

|                          |   |
|--------------------------|---|
| Artikelname              | SERBP1 / PAI-RBP1 Antibody, IgG1, Clone: [SERBP1/3498], Mouse, Monoclonal   |
| Artikelnummer            | NBT-26135-MSM8-P1ABX  |
| Hersteller Artikelnummer | 26135-MSM8-P1ABX  |
| Alternativnummer         | NBT-26135-MSM8-P1ABX-100  |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IHC, WB   |
| Spezies Reaktivität      | Human   |
| Immunogen                | Recombinant fragment of human SERBP1 protein (around aa3-139) (exact sequence is proprietary)   |
| Produktbeschreibung      | SERBP1 is a membrane-associated protein that localizes to the nucleus, the perinuclear region of the cytoplasm and the plasma membrane. It is believed to play a role in the regulation of mRNA stability, as it specifically binds to the CRS (cyclic nuc... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [SERBP1/3498]   |
| Molekulargewicht         | 60kDa   |

|                        |  |
|------------------------|--|
| Isotyp                 | IgG1   |
| NCBI                   | <a href="#">26135</a>  |
| UniProt                | <a href="#">Q8NC51</a>   |
| Formulierung           | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.   |
| Antibody Type          | Monoclonal Antibody  |
| Anwendungsbeschreibung | Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT), (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for |