

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Glycophorin A / CD235a (Erythrocyte Marker) Antibody, IgG1, Clone: [GYPA/280], Mouse, Monoclonal NBT-2993-MSM4-P1ABX

| | |
|--------------------------|---|
| Artikelname | Glycophorin A / CD235a (Erythrocyte Marker) Antibody, IgG1, Clone: [GYPA/280], Mouse, Monoclonal |
| Artikelnummer | NBT-2993-MSM4-P1ABX |
| Hersteller Artikelnummer | 2993-MSM4-P1ABX |
| Alternativnummer | NBT-2993-MSM4-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human full-length GYPA protein |
| Produktbeschreibung | Recognizes a sialoglycoprotein of 39kDa, identified as glycophorin A (GPA). It is present on red blood cells (RBC) and erythroid precursor cells. It has been shown that glycophorin acts as the receptor for Sandei virus and parvovirus. Glycophorins A ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [GYPA/280] |
| Molekulargewicht | 39kDa |
| Isotyp | IgG1 |

| | |
|------------------------|---|
| NCBI | 2993 |
| UniProt | P02724 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 min |