

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant EpCAM / CD326 (Epithelial Marker) Antibody, IgG1, Clone: [rMOC-31], Mouse, Monoclonal NBT-4072-MSM19-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant EpCAM / CD326 (Epithelial Marker) Antibody, IgG1, Clone: [rMOC-31], Mouse, Monoclonal |
| Artikelnummer | NBT-4072-MSM19-P1ABX |
| Hersteller Artikelnummer | 4072-MSM19-P1ABX |
| Alternativnummer | NBT-4072-MSM19-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human EpCAM protein |
| Produktbeschreibung | Binding epitope of this antibody is located in the first EGF-like repeat domain (EGF1) between amino acids 27-59 of EpCAM.EGP40 is a 40-43kDa transmembrane epithelial glycoprotein, also identified as epithelial specific antigen (ESA), or epithelial c... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rMOC-31] |
| Molekulargewicht | 40-43kDa |
| Isotyp | IgG1 |

| | |
|------------------------|---|
| NCBI | 4072 |
| UniProt | P16422 |
| Formulierung | 200ug/ml of Ab produced in CHO cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1m |