

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

BOB.1 (B-Cell Marker) Antibody, IgG2b, Clone: [BOB1/2425], Mouse, Monoclonal NBT-5450-MSM5-P1ABX

| | |
|--------------------------|---|
| Artikelname | BOB.1 (B-Cell Marker) Antibody, IgG2b, Clone: [BOB1/2425], Mouse, Monoclonal |
| Artikelnummer | NBT-5450-MSM5-P1ABX |
| Hersteller Artikelnummer | 5450-MSM5-P1ABX |
| Alternativnummer | NBT-5450-MSM5-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa 148-255) of human BOB1 (POU2AF1) protein (exact sequence is proprietary) |
| Produktbeschreibung | BOB.1 expression in a variety of established B-cell lines, representing different stages of B-cell development, has suggested a constitutive, B-cell-specific expression pattern. LP cells in nodular lymphocyte predominant Hodgkin lymphoma, because the... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [BOB1/2425] |
| Molekulargewicht | 35kDa |

| | |
|------------------------|---|
| Isotyp | IgG2b |
| NCBI | 5450 |
| UniProt | Q16633 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Western Blot (1-2ug/ml),Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes) |