

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Actin, Smooth Muscle (Leiomyosarcoma Marker) Antibody, IgG2a, Clone: [1A4, same as asm-1], Mouse, Monoclonal NBT-59-MSM1-P0**

Artikelname	Actin, Smooth Muscle (Leiomyosarcoma Marker) Antibody, IgG2a, Clone: [1A4, same as asm-1], Mouse, Monoclonal
Artikelnummer	NBT-59-MSM1-P0
Hersteller Artikelnummer	59-MSM1-P0
Alternativnummer	NBT-59-MSM1-P0-20,NBT-59-MSM1-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Bovine, Canine, Feline, Gallus, Goat, Guinea pig, Human, Monkey, Mouse, Porcine, Primate, Rabbit, Rat, Sheep
Immunogen	N-Terminal decapeptide of alpha smooth muscle isoform of actin and conjugated to KLH.
Produktbeschreibung	Actin is a major component of the cytoskeleton and is present in most cell types. This MAb is highly specific to actin from smooth muscles. Its epitope lies in the first four N-terminal amino acids. This MAb does not stain cardiac or skeletal muscle,...
Klonalität	Monoclonal
Klon-Bezeichnung	[1A4, same as asm-1]
Molekulargewicht	42kDa

Isotyp	IgG2a
NCBI	<a href="#">59</a>
UniProt	<a href="#">P62736</a>
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-4ug/ml), Immunohistochemistry (Formalin-fixed) (0.25-0.5ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for