

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant CD22 / BL-CAM (B-Cell Marker) Antibody, IgG1, Clone: [rBLCAM/6749], Mouse, Monoclonal NBT-933-MSM9-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant CD22 / BL-CAM (B-Cell Marker) Antibody, IgG1, Clone: [rBLCAM/6749], Mouse, Monoclonal |
| Artikelnummer | NBT-933-MSM9-P1ABX |
| Hersteller Artikelnummer | 933-MSM9-P1ABX |
| Alternativnummer | NBT-933-MSM9-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa52-178) of human BL-CAM/CD22 protein (exact sequence is proprietary) |
| Produktbeschreibung | Recognizes a protein of 130-140kDa, identified as CD22 (also known as BL-CAM). CD22 expression is restricted to normal and neoplastic B cells and is absent from other haemopoietic cell types. In B-cell ontogeny, CD22 is first expressed in the cytopla... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rBLCAM/6749] |
| Molekulargewicht | 130-140kDa |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 933 |
| UniProt | P20273 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |