

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD40 Ligand / CD154 / TRAP1 (Activation Marker of T-Lymphocytes) Antibody, IgG1, Clone: [CD40LG/4675], Mouse, Monoclonal NBT-959-MSM5-P0

Artikelname	CD40 Ligand / CD154 / TRAP1 (Activation Marker of T-Lymphocytes) Antibody, IgG1, Clone: [CD40LG/4675], Mouse, Monoclonal
Artikelnummer	NBT-959-MSM5-P0
Hersteller Artikelnummer	959-MSM5-P0
Alternativnummer	NBT-959-MSM5-P0-20,NBT-959-MSM5-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa 108-261) of human CD40LG protein(exact sequence is proprietary)
Produktbeschreibung	CD40LG expression is mainly confined to the CD4-positive-T-cell subset. Its expression is induced shortly after T-cell activation and represents an early activation marker of T lymphocytes. CD40 is constitutively expressed mainly on B cells, macropha...
Klonalität	Monoclonal
Klon-Bezeichnung	[CD40LG/4675]
Molekulargewicht	36kDa

Isotyp	IgG1
NCBI	959
UniProt	P29965
Formulierung	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT), (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes), Optimal diluti