

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD44v6 (Marker of Tumor Metastasis) Antibody, IgG1, Clone: [CD44V6/2496], Mouse, Monoclonal NBT-960-MSM16-P1ABX

| | |
|--------------------------|---|
| Artikelname | CD44v6 (Marker of Tumor Metastasis) Antibody, IgG1, Clone: [CD44V6/2496], Mouse, Monoclonal |
| Artikelnummer | NBT-960-MSM16-P1ABX |
| Hersteller Artikelnummer | 960-MSM16-P1ABX |
| Alternativnummer | NBT-960-MSM16-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment corresponding to the v6 domain of human CD44 |
| Produktbeschreibung | This antibody recognizes an epitope encoded by exon v3 on the variant portion of human CD44. The CD44 molecule belongs to a family of cellular adhesion molecules found on a wide range of normal and malignant cells in epithelial, mesothelial and hemop... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [CD44V6/2496] |
| Molekulargewicht | 80-95kDa |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 960 |
| UniProt | P16070 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |