

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 8/18 Antibody, IgG1, Clone: [C-43 + DC10], Mouse, Monoclonal NBT-MSM7-770-P0

Artikelname	Cytokeratin 8/18 Antibody, IgG1, Clone: [C-43 + DC10], Mouse, Monoclonal
Artikelnummer	NBT-MSM7-770-P0
Hersteller Artikelnummer	MSM7-770-P0
Alternativnummer	NBT-MSM7-770-P0-20,NBT-MSM7-770-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Keratin preparation from a human carcinoma (C-43), PMC-42 human breast carcinoma cells (DC10)
Produktbeschreibung	Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). This MAb cocktail recognizes all simple epithelia including glandular epithelium, for exa...
Klonalität	Monoclonal
Klon-Bezeichnung	[C-43 + DC10]
Molekulargewicht	52.5kDa (CK8), 45kDa (CK18)
Isotyp	IgG1

NCBI	3856
UniProt	P05787
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution for a