

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MUC5AC (Mucin 5AC / Gastric Mucin)(1-13M1), CF640R conjugate, 0.1mg/mL, Clone: [1-13M1], Mouse, Monoclonal BOT-BNC400432-500

| | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname | MUC5AC (Mucin 5AC / Gastric Mucin)(1-13M1), CF640R conjugate, 0.1mg/mL, Clone: [1-13M1], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC400432-500 |
| Hersteller Artikelnummer | BNC400432-500 |
| Alternativnummer | BOT-BNC400432-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, RIA, WB |
| Spezies Reaktivität | Bovine, Feline, Gallus, Human, Monkey, Mouse, Rabbit, Rat |
| Immunogen | M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b) patient |
| Konjugation | CF640R |
| Produktbeschreibung | This mucin is present in primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, anti-MUC5AC may be useful for differential identificat... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Klon-Bezeichnung | [1-13M1] |
| Molekulargewicht | >1,000 kDa |
| UniProt | P98088 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Does not react with Pig or Hedgehog ELISA: For coating, purchase antibody without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution for a specific application should be determined by user |