

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 14(LL002), CF640R conjugate, 0.1mg/mL, IgG3, Clone: [LL002], Mouse, Monoclonal BOT-BNC400499-100

Artikelname	Cytokeratin 14(LL002), CF640R conjugate, 0.1mg/mL, IgG3, Clone: [LL002], Mouse, Monoclonal
Artikelnummer	BOT-BNC400499-100
Hersteller Artikelnummer	BNC400499-100
Alternativnummer	BOT-BNC400499-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	A synthetic peptide of 15 amino acid from the C-terminus of human keratin 14.
Konjugation	CF640R
Produktbeschreibung	Cytokeratin 14 (CK14) belongs to the type I (or A or acidic) subfamily of low molecular weight keratins and exists in combination with keratin 5 (type II or B or basic). CK14 is found in basal cells of squamous epithelia, some glandular epithelia, my...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[LL002]
Molekulargewicht	~50 kDa
Isotyp	IgG3
UniProt	P02533
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1.0 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user