

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **AIF1 / Iba1 (Microglia Marker) (rAIF1/1909), CF640R conjugate, 0.1mg/mL, IgG1, Clone: [rAIF1/1909], Mouse, Monoclonal BOT-BNC402346-100**

Artikelname	AIF1 / Iba1 (Microglia Marker) (rAIF1/1909), CF640R conjugate, 0.1mg/mL, IgG1, Clone: [rAIF1/1909], Mouse, Monoclonal
Artikelnummer	BOT-BNC402346-100
Hersteller Artikelnummer	BNC402346-100
Alternativnummer	BOT-BNC402346-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Purified recombinant human AIF1 protein (around aa 1-146) (exact sequence is proprietary)
Konjugation	CF640R
Produktbeschreibung	Allograft Inflammatory Factor 1 (also known as AIF1 or IBA1) is a cytoplasmic, calcium-binding protein that is thought to play a role in macrophage activation and function. AIF1, containing two EF domains, is induced by cytokines and Interferons. In ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[rAIF1/1909]
Molekulargewicht	17 kDa
Isotyp	IgG1
UniProt	<a href="#">P55008</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user