

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CDw17(H018.3G-6.F5), 0.2mg/mL, IgM, Clone: [H018.3G-6.F5], Mouse, Monoclonal BOT-BNUB1092-100**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | CDw17(H018.3G-6.F5), 0.2mg/mL, IgM, Clone: [H018.3G-6.F5], Mouse, Monoclonal                                                                                                                                                                                  |
| Artikelnummer            | BOT-BNUB1092-100                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | BNUB1092-100                                                                                                                                                                                                                                                  |
| Alternativnummer         | BOT-BNUB1092-100-100UL                                                                                                                                                                                                                                        |
| Hersteller               | Biotium                                                                                                                                                                                                                                                       |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | ?-2 Microglobulin associated proteins from a detergent lysate of human PBL                                                                                                                                                                                    |
| Produktbeschreibung      | CDw17 / CD17 is an intermediate glycosphingolipid from the metabolism of higher gangliosides that localizes to sphingolipid-sterol rafts. CD17 is detectable in monocytes, granulocytes, basophils, platelets, a subset of peripheral B cells (CD19 ) and ... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 0.2 mg/mL                                                                                                                                                                                                                                                     |
| Klon-Bezeichnung         | [H018.3G-6.F5]                                                                                                                                                                                                                                                |
| Molekulargewicht         | Not Known                                                                                                                                                                                                                                                     |

|                        |                                                                                                                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isotyp                 | IgM                                                                                                                                                                                                                                                                                |
| UniProt                | Not Known                                                                                                                                                                                                                                                                          |
| Puffer                 | PBS, 0.05% BSA, 0.05% azide                                                                                                                                                                                                                                                        |
| Quelle                 | Animal                                                                                                                                                                                                                                                                             |
| Anwendungsbeschreibung | For coating for ELISA, order Ab without BSA Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |