

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD63 (Late Endosomes Marker)(NKI/C3 + LAMP3/968), 0.2mg/mL, Clone: [NKI/C3 LAMP3/968], Mouse, Monoclonal BOT-BNUB1160-500

Artikelname	CD63 (Late Endosomes Marker)(NKI/C3 + LAMP3/968), 0.2mg/mL, Clone: [NKI/C3 LAMP3/968], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1160-500
Hersteller Artikelnummer	BNUB1160-500
Alternativnummer	BOT-BNUB1160-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Smooth plasma membrane fraction of MeWo cells (NKI/C3), Recombinant human full-length CD63 protein (LAMP3/968)
Produktbeschreibung	This MAb recognizes protein of 26 kDa-60 kDa, which is identified as CD63. The tetraspanins are integral membrane proteins expressed on cell surface and granular membranes of hematopoietic cells and are components of multi-molecular complexes with sp...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[NKI/C3 LAMP3/968]

Molekulargewicht	26 kDa (core protein), 30-60 kDa (glycosylated)
UniProt	P08962
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistochemistry (formalin-fixed): 1-2 ug/mL for 30 minutes at RT Flow cytometry: 0.5-1 ug/million cells Immunofluorescence: 0.5-1 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer pH 6.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user