

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

p63 (Squamous, Basal & Myoepithelial Cell Marker), 0.2mg/mL, Rabbit BOT-BNUB1684-500

Artikelname	p63 (Squamous, Basal & Myoepithelial Cell Marker), 0.2mg/mL, Rabbit
Artikelnummer	BOT-BNUB1684-500
Hersteller Artikelnummer	BNUB1684-500
Alternativnummer	BOT-BNUB1684-500-500UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human p63 protein fragment (exact sequence is proprietary)
Produktbeschreibung	p63 is a homolog of the tumor suppressor p53. It is identified in basal cells in the epithelial layers of a variety of tissues, including epidermis, cervix, urothelium, breast and prostate. p63 was detected in nuclei of the basal epithelium in normal...
Konzentration	0.2 mg/mL
Molekulargewicht	63 kDa
UniProt	Q9H3D4
Puffer	PBS, 0.05% BSA, 0.05% azide

Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user