

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD47(IAP/964 + B6H12.2), 1mg/mL, Clone: [IAP/964 B6H12.2], Mouse, Monoclonal BOT-BNUM1029-50

Artikelname	CD47(IAP/964 + B6H12.2), 1mg/mL, Clone: [IAP/964 B6H12.2], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1029-50
Hersteller Artikelnummer	BNUM1029-50
Alternativnummer	BOT-BNUM1029-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant human IAP protein (IAP/964), Intact CD47 purified from placenta (B6H12.2)
Produktbeschreibung	This antibody reacts with Ig domain of CD47 protein. CD47, originally named integrin-associated protein (IAP), is a 50 kDa protein containing five membrane-spanning sequences and a short cytoplasmic tail. CD47 plays a role in both cell adhesion by ac...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[IAP/964 B6H12.2]

Molekulargewicht	~50 kDa
UniProt	Q08722
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user