

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CA19-9/Sialyl Lewisa (GI Tumor Marker) (CA19.9/1390R), CF740 conjugate, 0.1mg/mL, Clone: [CA19.9/1390R], CF 740, Rabbit, Monoclonal BOT-BNC741390-100**

Artikelname	CA19-9/Sialyl Lewisa (GI Tumor Marker) (CA19.9/1390R), CF740 conjugate, 0.1mg/mL, Clone: [CA19.9/1390R], CF 740, Rabbit, Monoclonal
Artikelnummer	BOT-BNC741390-100
Hersteller Artikelnummer	BNC741390-100
Alternativnummer	BOT-BNC741390-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Purified human CA19-9 protein
Konjugation	CF 740
Produktbeschreibung	CA19-9, a carbohydrate epitope expressed on a high MW (>400 kDa) mucin glycoprotein, is a sialyl Lewisa structure which is synthesized from type 1 blood group precursor chains and is present in individuals expressing the Lewisa and/or Lewisb blood gr...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[CA19.9/1390R]
Molekulargewicht	>400 kDa
UniProt	Not Known
Puffer	PBS, 0.1% rBSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence 0.5-1 ug/mL</p> <p>Immunohistology (formalin) 5-10 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p>