

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Luteinizing Hormone / Choriogonadotropin Receptor (LHCGR) (LHCGR/1417), CF740 conjugate, 0.1mg/mL, Clone: [LHCGR/1417], CF 740, Mouse, Monoclonal BOT-BNC741417-500**

Artikelname	Luteinizing Hormone / Choriogonadotropin Receptor (LHCGR) (LHCGR/1417), CF740 conjugate, 0.1mg/mL, Clone: [LHCGR/1417], CF 740, Mouse, Monoclonal
Artikelnummer	BOT-BNC741417-500
Hersteller Artikelnummer	BNC741417-500
Alternativnummer	BOT-BNC741417-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant N-terminal fragment of human LHCGR (exact sequence is proprietary)
Konjugation	CF 740
Produktbeschreibung	Recognizes a protein of 78-85 kDa, which is identified as luteinizing hormone/choriogonadotropin receptor. Luteinizing hormone plays a role in spermatogenesis and ovulation by stimulating the testes and ovaries to produce steroids. Choriogonadotropin...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[LHCGR/1417]
Molekulargewicht	78-85 kDa
UniProt	<a href="#">P22888</a>
Puffer	PBS, 0.1% rBSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry