

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

SSEA-1 Antibody Cocktail, Clone: [FUT4/815 + BRA-4F1], Mouse, Monoclonal NSJ-V2524-100UG

Artikelname	SSEA-1 Antibody Cocktail, Clone: [FUT4/815 + BRA-4F1], Mouse, Monoclonal
Artikelnummer	NSJ-V2524-100UG
Hersteller Artikelnummer	V2524-100UG
Alternativnummer	NSJ-V2524-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	Purified human neutrophils (FUT4/815) and Myelomonocytic leukemia cells (BRA-4F1) were used as the immunogen for the SSEA-1 antibody cocktail.
Produktbeschreibung	SSEA-1/CD15 plays a role in mediating phagocytosis, bactericidal activity, and chemotaxis. It is present on >95% of granulocytes including neutrophils and eosinophils and to a lesser degree on monocytes. In addition, it is expressed in Reed-Sternberg...
Klonalität	Monoclonal
Klon-Bezeichnung	[FUT4/815 + BRA-4F1]
UniProt	P22083

Reinheit	PEG precipitation
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	Immunohistochemistry (FFPE): 0.5-1ug/ml for 30 min at RT
Anwendungsbeschreibung	Optimal dilution of the SSEA-1 antibody cocktail should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.