

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MUC-1 Antibody, Clone: [VU-2G7], Mouse, Monoclonal NSJ-V2720-100UG**

Artikelname	MUC-1 Antibody, Clone: [VU-2G7], Mouse, Monoclonal
Artikelnummer	NSJ-V2720-100UG
Hersteller Artikelnummer	V2720-100UG
Alternativnummer	NSJ-V2720-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA
Spezies Reaktivität	Human
Immunogen	A synthetic glycosylated MUC1 60mer tandem repeat NH <sub>2</sub> -(HGVTAPDT(GalNAc)RPAPGSTAPPAHG) <sub>3</sub> -COOH was used as the immunogen for the MUC-1 antibody.
Produktbeschreibung	mAb VU-2G7 reacts with MUC1/Mucin-1/Epithelial Marker Antigen/EMA, a large transmembrane glycoprotein expressed on the ductal surface of normal glandular epithelia. The dominant epitope of VU-2G7 has not been established with epitope fingerprinting. ...
Klonalität	Monoclonal
Klon-Bezeichnung	[VU-2G7]
UniProt	<a href="#">P15941</a>
Reinheit	Protein G affinity chromatography

Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	ELISA: order BSA/sodium azide-free format for coating
Anwendungsbeschreibung	Optimal dilution of the MUC-1 antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min