

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MUC5AC Antibody, Clone: [CLH2], Mouse, Monoclonal NSJ-V2736-100UG

| | |
|--------------------------|---|
| Artikelname | MUC5AC Antibody, Clone: [CLH2], Mouse, Monoclonal |
| Artikelnummer | NSJ-V2736-100UG |
| Hersteller Artikelnummer | V2736-100UG |
| Alternativnummer | NSJ-V2736-100UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | A synthetic peptide of human MUC5AC tandem repeat was used as the immunogen for the MUC5AC antibody. |
| Produktbeschreibung | Mucin 5AC glycoprotein (MUC5AC) is a HMW glycoprotein belonging to the superfamily of mucins. Mucins are produced by epithelial cells and can be divided into two families, secretory mucins and membrane bound mucins. MUC5AC is a mucus-forming, secrete... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [CLH2] |
| UniProt | P98088 |
| Reinheit | Protein G affinity chromatography |

| | |
|------------------------|---|
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT |
| Anwendungsbeschreibung | Optimal dilution of the MUC5AC antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |