

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-MUC6 Antibody (Gastric Mucin), Clone: [SPM598], Mouse, Monoclonal NSJ-V2742IHC-7ML

Artikelname	Anti-MUC6 Antibody (Gastric Mucin), Clone: [SPM598], Mouse, Monoclonal
Artikelnummer	NSJ-V2742IHC-7ML
Hersteller Artikelnummer	V2742IHC-7ML
Alternativnummer	NSJ-V2742IHC-7ML
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	A synthetic peptide of the gastric Mucin 6 tandem repeat sequence was used as the immunogen for the anti-MUC6 antibody.
Produktbeschreibung	The MUC6 gastric mucin is a secreted glycoprotein that plays an essential role in epithelial cyto-protection from acid, proteases, pathogenic microorganisms, and mechanical trauma in the gastrointestinal tract. Mucin 6 expression is highest in the st...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM598]
UniProt	Q6W4X9
Reinheit	Protein G affinity chromatography

Formulierung	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Verdünnung	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Anwendungsbeschreibung	Optimal dilution of the anti-MUC6 antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.