

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant CD137 Antibody / 4-1BB / TNFRSF9, Clone: [4-1BB/4552R], Mouse, Monoclonal NSJ-V8061-100UG**

|                          |   |
|--------------------------|---|
| Artikelname              | Recombinant CD137 Antibody / 4-1BB / TNFRSF9, Clone: [4-1BB/4552R], Mouse, Monoclonal   |
| Artikelnummer            | NSJ-V8061-100UG   |
| Hersteller Artikelnummer | V8061-100UG   |
| Alternativnummer         | NSJ-V8061-100UG   |
| Hersteller               | NSJ Bioreagents   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IHC-P, WB   |
| Spezies Reaktivität      | Human   |
| Immunogen                | A human CD137 protein fragment within amino acids 19-188 was used as the immunogen for the recombinant CD137 antibody.  |
| Produktbeschreibung      | CD137 belongs to the tumor necrosis factor receptor family and delivers a costimulatory signal to T lymphocytes. It is expressed on activated T cells and binds an inducible ligand that is found on B cells, macrophages and dendritic cells. Interaction... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [4-1BB/4552R]   |
| UniProt                  | <a href="#">Q07011</a>  |

|                        |  |
|------------------------|--|
| Reinheit               | Protein A affinity chromatography  |
| Formulierung           | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide                 |
| Antibody Type          | Primary Antibody   |
| Application Verdünnung | Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Western blot: 2-4ug/ml             |
| Anwendungsbeschreibung | Optimal dilution of the recombinant CD137 antibody should be determined by the researcher. |