

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD10 Antibody / Neprilysin, Clone: [MME/4235], Mouse, Monoclonal NSJ-V8614-20UG

| | |
|--------------------------|---|
| Artikelname | CD10 Antibody / Neprilysin, Clone: [MME/4235], Mouse, Monoclonal |
| Artikelnummer | NSJ-V8614-20UG |
| Hersteller Artikelnummer | V8614-20UG |
| Alternativnummer | NSJ-V8614-20UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | A portion of amino acids 54-181 from the human protein was used as the immunogen for the CD10 antibody. |
| Produktbeschreibung | Recognizes a 100kDa glycoprotein, identified as CD10, also known as Common Acute Lymphocytic Leukemia Antigen (CALLA). It is a cell surface enzyme with neutral metalloendopeptidase activity, which inactivates a variety of biologically active peptides... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [MME/4235] |
| UniProt | P08473 |
| Reinheit | Protein G affinity chromatography |

| | |
|------------------------|---|
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Immunohistochemistry (FFPE): 1-2ug/ml for 30 minutes at RT |
| Anwendungsbeschreibung | Optimal dilution of the CD10 antibody should be determined by the researcher. |