

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### VIM Antibody / Vimentin, Clone: [SPM576], Mouse, Monoclonal NSJ-V9098-100UG

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | VIM Antibody / Vimentin, Clone: [SPM576], Mouse, Monoclonal                                                                                                                                                                                                   |
| Artikelnummer            | NSJ-V9098-100UG                                                                                                                                                                                                                                               |
| Hersteller Artikelnummer | V9098-100UG                                                                                                                                                                                                                                                   |
| Alternativnummer         | NSJ-V9098-100UG                                                                                                                                                                                                                                               |
| Hersteller               | NSJ Bioreagents                                                                                                                                                                                                                                               |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC-P, WB                                                                                                                                                                                                                                                     |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Human recombinant protein was used as the immunogen for this VIM antibody.                                                                                                                                                                                    |
| Produktbeschreibung      | This mAb reacts with a 58kDa protein identified as vimentin. It shows no cross-reaction with other closely related intermediate filament proteins (IFPs) such as desmin, keratin, neurofilament, and glial fibrillary acid protein. Anti-vimentin alone is... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Klon-Bezeichnung         | [SPM576]                                                                                                                                                                                                                                                      |
| UniProt                  | <a href="#">P08670</a>                                                                                                                                                                                                                                        |
| Reinheit                 | Protein G affinity chromatography                                                                                                                                                                                                                             |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulierung           | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide                                                                                                                                                                                                                                                                                                                                                                                                               |
| Antibody Type          | Primary Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Application Verdünnung | Western blot: 1-2ug/ml,Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT (1) (2)                                                                                                                                                                                                                                                                                                                                                                                                    |
| Anwendungsbeschreibung | <p>The optimal dilution of the VIM antibody for each application should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 minutes.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.</p> |