

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse Pituitary Adenylate Cyclase Activating Polypeptide 38 (PACAP-38) ELISA Kit BYT-ORB1948068

Artikelname	Mouse Pituitary Adenylate Cyclase Activating Polypeptide 38 (PACAP-38) ELISA Kit
Artikelnummer	BYT-ORB1948068
Hersteller Artikelnummer	orb1948068
Alternativnummer	BYT-ORB1948068-48,BYT-ORB1948068-96
Hersteller	Biorbyt
Kategorie	Kits/Assays
Spezies Reaktivität	Mouse
Produktbeschreibung	Mouse Pituitary Adenylate Cyclase Activating Polypeptide 38 (PACAP-38) ELISA Kit...
Detektionsbereich	0.32-20ng/mL
Sensitivitaet	0.19 ng/mL
UniProt	O70176
Proben	serum, plasma, Tissue homogenate and Other biological samples
Target-Kategorie	PACAP-38

Anwendungsbeschreibung

Application Notes: This ELISA kit uses the Sandwich-ELISA principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Mouse PACAP-38. Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Mouse PACAP-38 and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Mouse PACAP-38, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm \pm 2 nm. The OD value is proportional to the concentration of Mouse PACAP-38. You can calculate the concentration of Mouse PACAP-38 in the samples by comparing the OD of the samples to the standard curve