

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Human Tumor necrosis factor receptor superfamily member 3 (LTBR), partial (Active) BYT-ORB2658317

Artikelname	Recombinant Human Tumor necrosis factor receptor superfamily member 3 (LTBR), partial (Active)
Artikelnummer	BYT-ORB2658317
Hersteller Artikelnummer	orb2658317
Alternativnummer	BYT-ORB2658317-1,BYT-ORB2658317-100,BYT-ORB2658317-20
Hersteller	Biorbyt
Kategorie	Proteine/Peptide
Produktbeschreibung	This Recombinant Human Tumor necrosis factor receptor superfamily member 3 (LTBR), partial spans the amino acid sequence from region 31-227aa. Purity: Greater than 95% as determined by SDS-PAGE....
Molekulargewicht	23.2 kDa
UniProt	P36941
Puffer	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Quelle	Homo sapiens (Human)
Reinheit	Greater than 95% as determined by SDS-PAGE.
Formulierung	Lyophilized powder

Sequenz	QAVPPYASENQTCRDQEKEYYEPQHRICCSRCPPGTYVSAKCSRIRDTVCATC AENSYNEHWNLYLTICQLCRPCDPVMGLEEIAPCTSKRKQTQCRCQPGMFCAAW ALECTHCELLSDCPPGTEAELKDEVGKGNNHCVPCKAGHFQNTSSPSARCQP HTRCENQGLVEAAPGTAQSDTTCKNPLEPLPPEMSGTMLM
Anwendungsbeschreibung	Biological Origin: Homo sapiens (Human). Biological Activity: Measured by its binding ability in a functional ELISA. Immobilized Human LTBR at 2 µg/mL can bind Anti-LTBR recombinant antibody, the EC50 is 0.5282-0.6120 ng/mL. ②Measured by its binding ability in a functional ELISA. Immobilized Human LTBR at 2 µg/ml can bind human TNFSF14, the EC50 is 7.283-8.859 ng/ml. Application Notes: We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference