

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Human MET protein BYT-ORB705339

|                          |   |
|--------------------------|---|
| Artikelname              | Human MET protein   |
| Artikelnummer            | BYT-ORB705339   |
| Hersteller Artikelnummer | orb705339   |
| Alternativnummer         | BYT-ORB705339-20,BYT-ORB705339-100,BYT-ORB705339-1  |
| Hersteller               | Biorbyt   |
| Kategorie                | Proteine/Peptide  |
| Produktbeschreibung      | This Human MET protein spans the amino acid sequence from region 25-932aa. Purity: Greater than 90% as determined by SDS-PAGE....   |
| Molekulargewicht         | 130.6 kDa   |
| UniProt                  | <a href="#">P08581</a>  |
| Puffer                   | Lyophilized from a 0.2 µm sterile filtered PBS, 6% Trehalose, pH 7.4  |
| Quelle                   | Homo sapiens (Human)  |
| Reinheit                 | Greater than 90% as determined by SDS-PAGE.   |
| Formulierung             | Lyophilized powder  |
| Sequenz                  | <p>                     ECKEALAKSEMNVNMKYQLPNFTAETPIQNVILHEHHIFLGATNYIYVLNEEDL<br/>                     QKVAEYKTGPVLEHPDCFPCQDCSSKANLSGGVWKDNINMALVVDITYDDQ<br/>                     LISCGSVNRGTCQRHVFPNHTADIQSEVHCIFSPQIEEPSQCPDCVVSALGA<br/>                     KVLSSVKDRFINFFVGNTINSSYFPDHLHSISVRRLLKETKDGFMFLTDQSYIDV<br/>                     LPEFRDSYPIKYVHAFESNNFIYFLTVQRETLDAQTFHTRII                 </p> |

|                        |   |
|------------------------|---|
| Anwendungsbeschreibung | <p>Biological Origin: Homo sapiens (Human). Biological Activity: Measured by its binding ability in a functional ELISA. Immobilized MET at 2 µg/ml can bind Anti-MET recombinant antibody, the EC50 is 2.379-3.094 ng/ml. Application Notes: We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference</p> |
|------------------------|---|