

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Nuclear Marker Antibody, Clone: [NM106], Unconjugated, Mouse, Monoclonal BYT-ORB749989**

Artikelname	Nuclear Marker Antibody, Clone: [NM106], Unconjugated, Mouse, Monoclonal
Artikelnummer	BYT-ORB749989
Hersteller Artikelnummer	orb749989
Alternativnummer	BYT-ORB749989-20,BYT-ORB749989-100
Hersteller	Biorbyt
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC-P
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	Nuclei of HL60 cells were used as the immunogen for the Nuclear Marker antibody.
Konjugation	Unconjugated
Produktbeschreibung	This mAb is an excellent marker for all nuclei in cells in tissues. It is a part of a new panel of reagents, which recognizes subcellular organelles or compartments of cells. These markers may be useful in identification of these organelles in cells,...
Klonalität	Monoclonal
Klon-Bezeichnung	[NM106]

Puffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide
Application Verdünnung	Immunofluorescence: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Anwendungsbeschreibung	Application Notes: Optimal dilution of the Nuclear Marker antibody should be determined by the researcher.1. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min