

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Monoclonal Antibody to CA19-9 / Sialyl Lewisa (GI Tumor Marker)(Clone : SPM588), Clone: [SPM588], Mouse ABI-36-11044**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Monoclonal Antibody to CA19-9 / Sialyl Lewisa (GI Tumor Marker)(Clone : SPM588), Clone: [SPM588], Mouse                                                                                                                                                       |
| Artikelnummer            | ABI-36-11044                                                                                                                                                                                                                                                  |
| Hersteller Artikelnummer | 36-11044                                                                                                                                                                                                                                                      |
| Alternativnummer         | ABI-36-11044-100UG                                                                                                                                                                                                                                            |
| Hersteller               | Abeomics                                                                                                                                                                                                                                                      |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | FACS, IF, IHC                                                                                                                                                                                                                                                 |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Precipitin lines obtained after immuno-diffusion using MAb 116-NS-19-9 and mucins isolated from an ovarian cyst of a Lewis A+B-patient (OLe).                                                                                                                 |
| Produktbeschreibung      | CA19-9, a carbohydrate epitope expressed on a high MW (>400kDa) mucin glycoprotein, is a sialyl Lewisa structure which is synthesized from type 1 blood group precursor chains and is present in individuals expressing the Lewisa and/or Lewisb blood gro... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Klon-Bezeichnung         | [SPM588]                                                                                                                                                                                                                                                      |
| Reinheit                 | Affinity Chromatography                                                                                                                                                                                                                                       |

|                        |                                                                                                                                                                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulierung           | Purified                                                                                                                                                                                                                                                        |
| Target-Kategorie       | CA19-9 / Sialyl Lewisa (GI Tumor Marker)                                                                                                                                                                                                                        |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(No special pretreatment is required for the immunohistochemical staining of formalin-fixed, paraffin-embedded tissue |