

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Swine anti Human IgG Fab, Clone: [Polyclonal], Porcine, Monoclonal NMB-SWAHU/FAB

Artikelname	Swine anti Human IgG Fab, Clone: [Polyclonal], Porcine, Monoclonal
Artikelnummer	NMB-SWAHU/FAB
Hersteller Artikelnummer	SwAHu/Fab
Alternativnummer	NMB-SWAHU/FAB
Hersteller	NordicMubio
Wirt	Porcine
Kategorie	Antikörper
Spezies Reaktivität	Human
Konjugation	Unconjugated
Format	Antiserum
Spezifität	IgG (F(ab') ₂)
Minimale Kreuzreaktivität (MinX)	no cross-adsorbtion
Produktbeschreibung	The antiserum is reacting with the Fab subunit of intact IgG, IgA and IgM and other Ig classes of both light chain types, with their Fab or F(ab) ₂ subunits and with free light chains of kappa and lambda type as tested in immunoelectrophoresis and dou...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]

Puffer	Delipidated, heat inactivated lyophilized stable whole serum. 0.1% sodium azide. Total protein and IgG concentration in the antiserum are comparable to those of pooled swine serum. No foreign proteins added. It is reconstituted by adding 1 ml sterile dist
Quelle	Purified Fab of normal human IgG. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formel	Delipidated, heat inactivated lyophilized stable whole serum. 0.1% sodium azide. Total protein and IgG concentration in the antiserum are comparable to those of pooled swine serum. No foreign proteins added.
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis use 2 μ l or equivalent against 120 μ l antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 μ l antiserum in a 3 mm diameter centre well and 2 μ l serum samples (neat and diluted) in 2 mm diameter peripheral wells.