

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Swine anti Human Hepatitis B associated antigen, Clone: [Polyclonal], Porcine, Monoclonal NMB-SWAHU/HAA

Artikelname	Swine anti Human Hepatitis B associated antigen, Clone: [Polyclonal], Porcine, Monoclonal
Artikelnummer	NMB-SWAHU/HAA
Hersteller Artikelnummer	SwAHu/HAA
Alternativnummer	NMB-SWAHU/HAA
Hersteller	NordicMubio
Wirt	Porcine
Kategorie	Antikörper
Produktbeschreibung	The defined antibody specificity is to the hepatitis associated antigen as tested in counterelectrophoresis and double radial immunodiffusion against HAA positive human serum. The product does not react with normal human serum or plasma. In precipita...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]
Puffer	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled swine serum. No foreign proteins added. Reconstitute the lyophilized anti
Quelle	The immunogen has been prepared from sera of patients with hepatitis using gel filtration Freund's complete adjuvant is used in the first step of the immunization procedure.

Formel	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled swine serum. No foreign proteins added.
Anwendungsbeschreibung	Precipitation assays. In counter electrophoresis use opposite holes at a distance of 4mm with 6 µl antiserum and serum samples. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in 3 mm diameter center well and 2 µl plasma samples (neat and serially diluted) in 2 mm diameter peripheral wells. The distance between the wells should be 2-3 mm. In case the concentration of the protein component is significantly increased or reduced, the required equivalence between the reactants can be establish by increasing the amount of antiserum or antigen respectively.