

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Hu CD107b APC, Clone: [H4B4], Monoclonal EXB-1A-672-T100

| | |
|--------------------------|---|
| Artikelname | Anti-Hu CD107b APC, Clone: [H4B4], Monoclonal |
| Artikelnummer | EXB-1A-672-T100 |
| Hersteller Artikelnummer | 1A-672-T100 |
| Alternativnummer | EXB-1A-672-T100 |
| Hersteller | EXBIO |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human |
| Immunogen | Human PBMC |
| Konjugation | APC |
| Produktbeschreibung | CD107b (lysosome-associated membrane protein-2, LAMP-2), together with CD107a / LAMP-1, is a major constituent of lysosomal membrane. The LAMP proteins are involved in lysosome biogenesis and are required for fusion of lysosomes with phagosomes, espe... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [H4B4] |
| Isotyp | Mouse IgG1 kappa |
| Puffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|------------------------|---|
| Lagerung | 2°C to 8°C |
| Target-Kategorie | CD107b |
| Antibody Type | Monoclonal Antibody |
| Application Verdünnung | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. Intracellular and extracellular staining. |