

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-alpha-Tubulin Biotin, Clone: [TU-01], Monoclonal EXB-1B-250-C100

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Anti-alpha-Tubulin Biotin, Clone: [TU-01], Monoclonal                                                                                                                                                                                                         |
| Artikelnummer            | EXB-1B-250-C100                                                                                                                                                                                                                                               |
| Hersteller Artikelnummer | 1B-250-C100                                                                                                                                                                                                                                                   |
| Alternativnummer         | EXB-1B-250-C100                                                                                                                                                                                                                                               |
| Hersteller               | EXBIO                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | FC, ICC, IHC-P, WB                                                                                                                                                                                                                                            |
| Spezies Reaktivität      | Aves, Human, Invertebrate, Mouse, Paramecium, Plant, Porcine, Yeast                                                                                                                                                                                           |
| Immunogen                | Fraction of tubulin purified from porcine brain by two cycles of polymerization - depolymerization.                                                                                                                                                           |
| Konjugation              | Biotin                                                                                                                                                                                                                                                        |
| Produktbeschreibung      | The microtubules are intracellular dynamic polymers made up of evolutionarily conserved polymorphic alpha/beta-tubulin heterodimers and a large number of microtubule-associated proteins (MAPs). The microtubules consist of 13 protofilaments and have a... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 1 mg/ml                                                                                                                                                                                                                                                       |
| Klon-Bezeichnung         | [TU-01]                                                                                                                                                                                                                                                       |
| Isotyp                   | Mouse IgG1                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                  |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Puffer                 | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide                                                                                      |
| Lagerung               | 2°C to 8°C                                                                                                                                       |
| Target-Kategorie       | alpha-Tubulin                                                                                                                                    |
| Antibody Type          | Monoclonal Antibody                                                                                                                              |
| Anwendungsbeschreibung | Western blotting: Recommended dilution: 1-2 µg/ml, reducing conditions.Flow cytometry: Recommended dilution: 8-12 µg/ml. Intracellular staining. |