

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

**Goat anti-Human IgG Fc, F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to bovine,mouse,rabbit serum, Polyclonal  
AGR-AS10-1001**

|                          |                                                                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Goat anti-Human IgG Fc, F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to bovine,mouse,rabbit serum, Polyclonal                                                                                                                                    |
| Artikelnummer            | AGR-AS10-1001                                                                                                                                                                                                                                                |
| Hersteller Artikelnummer | AS10-1001                                                                                                                                                                                                                                                    |
| Alternativnummer         | AGR-AS10-1001                                                                                                                                                                                                                                                |
| Hersteller               | Agrisera                                                                                                                                                                                                                                                     |
| Wirt                     | Goat                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                   |
| Konjugation              | tritc                                                                                                                                                                                                                                                        |
| Produktbeschreibung      | Goat anti-human IgG Fc, is an adsorbed F(ab)2 fragment of secondary antibody conjugated to Rhodamine (TRITC) which binds to human IgG Fc part. Antibodies are conjugated to tetramethylrhodamine-5-isothiocyanate (TRITC). Amax = 550 nm, Emax = 570 nm. ... |
| Klonalität               | Polyclonal                                                                                                                                                                                                                                                   |
| Reinheit                 | Immunogen affinity purified goat IgG, F(ab)2 fragment.                                                                                                                                                                                                       |
| Formulierung             | Liquid                                                                                                                                                                                                                                                       |
| Antibody Type            | Polyclonal Antibody                                                                                                                                                                                                                                          |
| Application Verdünnung   | The optimal working dilution should be determined by the investigator,                                                                                                                                                                                       |