

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human IgG Fab, conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-FGAHU/FAB/FITC

| | |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | Goat anti Human IgG Fab, conjugated with FITC, Clone: [Polyclonal], Monoclonal |
| Biozol Catalog Number | NMB-FGAHU/FAB/FITC |
| Supplier Catalog Number | FGAHu/Fab/FITC |
| Alternative Catalog Number | NMB-FGAHU/FAB/FITC |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Species Reactivity | Human |
| Conjugation | FITC |
| Format | F(ab') ₂ |
| Target Specificity | IgG (F(ab') ₂) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | The antiserum is reacting with to the Fab subunits of the IgG, IgA, IgM and other Ig classes of both light chain type, with their Fab or F(ab) ₂ subunits and with free immunoglobulin light chains of kappa and lambda type. It does not react with any no... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |

| | |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Buffer | FITC-coupled goat F(ab)2 antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliq |
| Source | Purified Fab prepared from normal IgG isolated from pooled human serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Form | FITC |
| Formula | FITC-coupled goat F(ab)2 antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. |
| Antibody Type | Secondary Antibody |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |