

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Rabbit milk proteins, Clone: [Polyclonal], Monoclonal NMB-GAR/TM

Article Name	Goat anti Rabbit milk proteins, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAR/TM
Supplier Catalog Number	GAR/TM
Alternative Catalog Number	NMB-GAR/TM
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Product Description	In immunoelectrophoresis against rabbit milk precipitation of not less than 8 different proteins may be obtained. However the number of visible precipitin lines varies widely among individual specimens of rabbit milk. The total concentration of prote...
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized an
Source	Pooled whole rhesus rabbit milk. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formula	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added.

Application Notes	Precipitation assays. In immunoelectrophoresis use 2 μl serum or equivalent against 120 μl antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 μl antiserum in 3 mm diameter center well and 2 μl serum samples (neat and serially diluted in 2 mm diameter peripheral wells. Different bleedings of the immunized animals are pooled to obtain a broad spectrum balanced against the varying concentrations of the individual serum protein components.
-------------------	---