

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Goat anti Rat IgG2a (subclass specific), conjugated with Horseradish peroxidase, Clone: [Polyclonal], FITC, Monoclonal NMB-GARA/IGG2A/FITC**

Article Name	Goat anti Rat IgG2a (subclass specific), conjugated with Horseradish peroxidase, Clone: [Polyclonal], FITC, Monoclonal
Biozol Catalog Number	NMB-GARA/IGG2A/FITC
Supplier Catalog Number	GARa/IgG2a/FITC
Alternative Catalog Number	NMB-GARA/IGG2A/FITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Rat
Conjugation	FITC
Format	IgG
Target Specificity	IgG2a (Fc)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the subclass IgG2a as tested against rat sera and a panel of purified homogenous immunoglobulins. It does not react with other subclasses of IgG, IgG/Fab fragments, IgM and IgA or any non-Ig protein in r...
Clonality	Monoclonal
Clone Designation	[Polyclonal]

Buffer	Fluorochrome-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. Reconstitute the lyophilized antiserum by adding 1 ml sterile
Source	Pools of purified homogenous IgG2a isolated from pooled rat serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Form	FITC
Formula	Fluorochrome-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.