

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Rabbit anti Goat IgM (Fc specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-RAG/IGM(FC)/FITC**

Article Name	Rabbit anti Goat IgM (Fc specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-RAG/IGM(FC)/FITC
Supplier Catalog Number	RAG/IgM(Fc)/FITC
Alternative Catalog Number	NMB-RAG/IGM(FC)/FITC
Manufacturer	NordicMubio
Host	Rabbit
Category	Antikörper
Species Reactivity	Goat
Conjugation	FITC
Format	IgG
Target Specificity	IgM ( $\mu$ )
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non-Ig protein in goat serum, as tested by immunoelectrophoresis and double radial immun...
Clonality	Monoclonal
Clone Designation	[Polyclonal]

Buffer	Fluorescein-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water,
Source	Purified normal IgM isolated from pooled goat serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Form	FITC
Formula	Fluorescein-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.